

6390 Joyce Drive  
# 100  
Golden, CO 80403

Phone 303-940-0033  
Fax 866-283-0269  
www.wibby.com

May 16, 2012

Kelley E. Keenan  
Environmental Testing Solutions, Inc.  
351 Depot Street  
Asheville, NC 28801  
USA

Dear Kelley,

Thank you for participating in the RR-09794 Rapid Return™ Proficiency Testing Study. Enclosed is your final report, which has been carefully reviewed by the PT specialists at Wibby Environmental. A final report for your laboratory has been sent to all accrediting agencies you requested at the time of your data submittal.

Thank you again for participating in the RR-09794 Rapid Return™ Proficiency Testing Study. We appreciate working with you and look forward to our next study. If you have any questions, please call me at 303-940-0033.

Sincerely,



Mark Mensik  
QA Manager

6390 Joyce Drive  
# 100  
Golden, CO 80403

Phone 303-940-0033  
Fax 866-283-0269  
www.wibby.com

**Report Definitions:**

***NELAC Experimental Analytes***

NELAC Experimental Analytes must be run twice a year. Due to the experimental nature of the acceptance limits, accreditation status is not based on the evaluation received.

***Assigned Value***

The Assigned Value is determined from the study mean, gravimetric and volumetric true concentration of an analyte to be analyzed, calculation and/or an appropriate reference value as stipulated in the EPA National Standards for Water Proficiency Testing Studies Criteria Document (current version), the National Environmental Laboratory Accreditation Conference (NELAC) criteria (ref: NELAC FOT tables, NELAC PT Committee) and other documents distributed by accrediting agencies as applicable.

***Evaluation Limits***

Acceptance Limits are derived from fixed limits, coefficients, constants and calculations stipulated in the EPA National Standards for Water Proficiency Testing Studies Criteria Documents (current version), the National Environmental Laboratory Accreditation Conference (NELAC) criteria (ref: NELAC PT FOT tables, NELAC PT Committee) and other documents distributed by accrediting agencies as applicable.

***Evaluation***

<i>Acceptable</i>	The reported value falls within the Acceptance Limits.
<i>Not Acceptable</i>	The reported value falls outside the Acceptance Limits.
<i>No Evaluation</i>	The reported value is non-numeric and can not be evaluated.
<i>NR</i>	As required by the NELAC standards and requested by state authorities, any analyte purchased but not reported by your facility is listed as NR (Not Reported).

6390 Joyce Drive  
# 100  
Golden, CO 80403

Phone 303-940-0033  
Fax 866-283-0269  
www.wibby.com

State Regulatory Agency Request(s):

No requests were made to send a copy of your RR-09794 final results to a state agency.

Other Regulatory Agency Request(s):

No requests were made to send a copy of your RR-09794 final results to an agency.

Third Party Request(s):

No requests were made to send a copy of your RR-09794 final results to a third party.

6390 Joyce Drive  
# 100  
Golden, CO 80403

Phone 303-940-0033  
Fax 866-283-0269  
www.wibby.com

## Final Report - Rapid Return™

### Study: RR-09794

**Opening Date: April 17, 2012 - Closing Date: May 11, 2012**

Laboratory: Environmental Testing Solutions, Inc.  
351 Depot Street  
Asheville, NC 28801  
USA

Contact: Kelley Keenan  
828-350-9364

EPA Lab ID:

### Anions (PT-AN-WS(1))

**Lot #: RR-09794-08**

NELAC Code	Analyte	Analysis Date	Analyst	Method Code	Method Description	Units	Assigned Value	Result	Acceptance Limits	Evaluation
1810	Nitrate as N	4/24/2012	KEK	20113808	SM 4500-NO <sub>3</sub> <sup>-</sup> D Rev.21st ED 2005	mg/L	3.28	3.1	2.95 - 3.61	Acceptable